

BIG DUTCHMAN

Spare part catalog Broiler



Big Dutchman®



Big Dutchman®

1	Big Dutchman - Serving our customers around the world	5
2	FlexVey	6
2.1	V-belt drive	6
2.2	Tension shaft	7
2.3	Drive motor FlexVey	8
2.4	Connection power head	9
2.5	Head over unit	11
2.6	Down pipe	12
2.7	Silo boot	13
2.8	Down pipe twofold	13
2.9	Tandem-silo FlexVey	14
2.10	Silo boot	15
3	MPF-driving system	16
3.1	MPF-Drive 1line	16
3.2	MPF-Drive 2line	16
3.3	Hooper MPF 110L 1line- 1way	17
3.4	Coner 90deg. BD2000	18
3.5	Feed cleaner rotarz screen BD88 upto 18m/min	19
4	Augermatic	20
4.1	Tension shaft cpl 19mm AM with seeger ring	20
4.2	Drive 0.55KW 20/400V 50 Hz wo/sensor with switch box	21
4.3	Hooper 115l	22
4.4	Hooper 115l	23
5	Repromatic	25
5.1	Drive RPM	25
5.2	Feed weigher FW-99-B	25
5.3	Feed weigher FW-99-2	26



6	Feed pan	27
6.1	Control pan cpl. FLUXX360-16 without shot off	27
6.2	Feed pan cpl FLUXX360-16 plus without shot off	27
6.3	Feed pan cpl. FLUXX360-16 without shot off	28
6.4	Control pan cpl BP330 incl sensor MS-45R	29
6.5	Control pan cpl. BP330 excl sensor	30
6.6	Feed pan cpl BP330 without shot off	31
6.7	Feed pan cpl. FLUXX330-14 without shot off	32
6.8	Control pan cpl MP330 plus w/RPM-dish incl sensor AFS	32
6.9	Control pan FLUXX330-5 incl sensor AFS	33
6.10	Feed pan cpl FLUXX330-5 with shut off	34
6.11	Feed pan cpl BP330 with shut off	35
6.12	Control pan cpl BP 330 incl sensor AFS	36
6.13	Control pan FLUXX330-14 incl sensor MS-45	37
6.14	Feed pan cpl Male Pan 330 with shut off and BP-dish	38
6.15	Control pan cpl MalePan w/BP-dish incl sensor AFS	39
6.16	Feed pan cpl TRU PAN aut. dia 45.0	40
6.17	Control pan cpl TRU PAN aut. dia 45.0	41
6.18	Control pan cpl TRU PAN man. dia 45.0	43
6.19	Control pan TRU PAN man. dia 45.0	44
6.20	Feed pan cpl TRU PAN man. dia 45.0	45
6.21	Control pan TRU PAN man. dia 45,0	46
7	Feeding supply	48
7.1	Silo vibrator	49
8	Water supply	50
8.1	Connection unit 3/4" PVC special electronic 12-200l/h	50
8.2	Connection unit 3/4" PVC standard electronic	50
8.3	Pressure red. + filter duo DFR11 3/4" 1.5-6bar with manometer	51



8.4	Water filter 3/4"	51
9	Drinking system	52
9.1	Pressure regulator L3200 without additional parts	52
9.2	Breather revolving for end set cpl L4244	53
9.3	Coupling alu profile	53
9.4	Round drinker clp J-T w/cord an hose	54
9.5	Round drinker cpl Jumbo B	55
9.6	Round drinker Jumbo 98	57
10	Medication	58
11	Fresh air	60
12	Exhaust air	63
13	Cooling	66
14	Heating system	69
15	Electrical Items	74
16	Lighting	82





Big Dutchman®

Big Dutchman International GmbH

Postfach 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

1 Big Dutchman - Serving our customers around the world

Big Dutchman - Serving our customers around the world

The name Big Dutchman has been a trademark for quality, reliability and profitability for more than 75 years. Innovative technology, consequent development, market-oriented systems and customised solutions are an integral part of our successful company strategy.

Big Dutchman is considered the industry's world market leader and supplies housing equipment and feeding systems for modern pig and poultry production to more than 100 countries of the world. The headquarters for Eastern and Western Europe as well as the Middle East are situated in Vechta, while the Asian market is served from Kuala Lumpur, Malaysia, and America by the regional head office in Holland, Michigan, USA.

More than 2,000 employees are currently working for Big Dutchman. Approximately 250 technicians are responsible for further developing existing products and for adding new developments to the Big Dutchman product range. Our success is based on professional service, experienced sales representatives and the know-how we are continuously improving. We have many agents and distributors all over the world. They help us make sure that our products are customer-oriented and provide a reliable local service network.

Modern pig management is not only required to be economic but the consumer increasingly asks for healthy pigs raised and kept in an animal-friendly environment. Big Dutchman thus strives to identify new trends, to find answers to the most recent challenges and to offer practical solutions as soon as possible. We want to create products which satisfy the needs of the consumers but are also trying to enhance and further develop knowledge about professional livestock production.

Sow management, piglet rearing or finishing - we can provide the ideal system for any type of pig management.

Successful sow management requires much expert knowledge, but also the corresponding technical solutions. Big Dutchman can help customers to achieve economic success by providing modern housing and feeding systems.

Our Big Dutchman spare parts catalogue offers professional service and a proactive spare parts management. We recommend to purchase and store critical spare parts even before they fail and have to be replaced. Please do not hesitate to ask for further information. We will be happy to advise you and to install the parts professionally.

All Big Dutchman items can be ordered via telephone, fax or e-mail. You can either install them yourself or let us carry out installation. Our well-established logistic centres in Vechta (Germany), Malaysia, the USA, Russia and Brazil ensure that the spare part you need is available anywhere in the world and at all times. If you have any question regarding technical details, delivery periods or discounts, our spare parts management is looking forward to answering your questions - on the phone, with an e-mail or personally and on site.



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany

Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237

big@bigdutchman.de · www.bigdutchman.de



Big Dutchman

2 FlexVey


FlexVey

With Big Dutchman conveying systems, your feed - be it meal, pellets or crumbs - passes from the silo into the house safely and without any loss of quality. Our auger and FlexVey conveying systems are available in many sizes and can be installed in new buildings just as well as in your renovated house or farm.

The FlexVey conveying augers are made of high-quality, extremely flexible spring steel. They are mounted easily and quickly, have an unusually long service life and are very reliable. Feed can be transported to the house in curves of up to 90 degrees safely, rapidly and without being separated.



2.1 V-belt drive




99-10-3924

Hooked bolt galv M 8x 63 8.8 Flex-Vey 60/75

pc

1



99-10-3909

Hooked bolt galv M 8x 78 8.8 Flex-Vey 90

pc

1



90-00-1507

Electric motor 0.75KW 230/400
50/60 1500/1800r B3

pc

1



90-00-3859

Electric motor 2,20KW 230/400
50/60 1500/1800r B3

pc

1



99-20-1026

Washer A 8.4 DIN 125 galv

pc

100

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT








Big Dutchman.

Big Dutchman International GmbH



P.O.Box 1163 · 49360 Vechta · Germany

Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237





big@bigdutchman.de · www.bigdutchman.de

	99-10-1563	Lifting eye bolt M 8x 25 galv	pc	100
	25-16-3622	Mounting clip for drive head Flex-Vey	pc	1
	25-16-3610	Drive head S105000 for drive Flex-Vey	pc	1
	81-05-3312	Drive Head for Drive FV 125	pc	1
	25-16-3611	Adapter for auger Flex-Vey 75	pc	1
	25-16-3612	Adapter for auger Flex-Vey 90	pc	1



2.2 Tension shaft

	25-01-3021	Tension shaft w/bearing cpl M75	pc	1
	25-59-3021	Tension shaft w/bearing cpl M90	pc	1
	25-62-3021	Tension shaft w/bearing cpl M125	pc	1






1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	25-01-3025	Tension bearing cpl/auger (M75/90/125) SBPFL-205-2RSR	pc	1
	99-10-3924	Hooked bolt galv M 8x 63 8.8 Flex-Vey 60/75	pc	1
	99-10-3909	Hooked bolt galv M 8x 78 8.8 Flex-Vey 90	pc	1
	99-20-1026	Washer A 8.4 DIN 125 galv	pc	100
	25-63-3005	Flange plate f/tension shaft silo boot FV 60/75/90	pc	1
	25-62-3105	Flange plate f/tension shaft silo boot FV 125	pc	1

2.3 Drive motor FlexVey

	99-10-3924	Hooked bolt galv M 8x 63 8.8 Flex-Vey 60/75	pc	1
	99-10-3909	Hooked bolt galv M 8x 78 8.8 Flex-Vey 90	pc	1
	90-00-3968	Mot-g 0,75 230/400 50 370r shaft 24 incl spacers for Flex-Vey 75	pc	1





1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	90-00-3964	Mot-g 0,75 230/400 50 370r shaft 24 incl spacers for Flex-Vey 90	pc	1
	90-00-3969	Mot-g 1.10 230/400 50 344r shaft 24 incl. spacers Flex-Vey 125	pc	1
	99-10-1563	Lifting eye bolt M 8x 25 galv	pc	100
	25-16-3622	Mounting clip for drive head Flex-Vey	pc	1
	25-16-3610	Drive head S105000 for drive Flex-Vey	pc	1
	81-05-3312	Drive Head for Drive FV 125	pc	1
	25-16-3611	Adapter for auger Flex-Vey 75	pc	1
	25-16-3612	Adapter for auger Flex-Vey 90	pc	1


2.4 Connection power head

	99-50-0003	Ship chain hot dip galv 5mm DIN 766	m	1
--	------------	-------------------------------------	---	---

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	99-50-0005	S-hook 2" 6x55	pc	1
	25-16-3610	Drive head S105000 for drive Flex-Vey	pc	1
	81-05-3312	Drive Head for Drive FV 125	pc	1
	25-16-3622	Mounting clip for drive head Flex-Vey	pc	1
	99-10-1563	Lifting eye bolt M 8 x 25 galv	pc	100
	25-16-3611	Adapter for auger Flex-Vey 75	pc	1
	25-16-3612	Adapter for auger Flex-Vey 90	pc	1
	99-50-0475	Clamp f/pipe Flex-Vey 75	pc	1
	99-50-0476	Clamp f/pipe Flex-Vey 90	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




99-50-0477

Clamp f/pipe Flex-Vey125

pc

1

2.5 Head over unit




25-16-3033

Tension ring 150 galv with sealing ring 1mm

pc

1




25-57-3011

Transfer funnel onto 2nd auger Flex-Vey 75 (incl tension shaft)

pc

1



25-59-3011

Transfer funnel onto 2nd auger Flex-Vey 90 (incl tension shaft)

pc


1

25-62-3011

Transfer funnel onto 2nd auger FV 125 (incl tension shaft)

pc

1




99-50-0475

Clamp f/pipe Flex-Vey 75

pc

1




99-50-0476

Clamp f/pipe Flex-Vey 90

pc

1




99-50-0477

Clamp f/pipe Flex-Vey125

pc

1



99-10-3924

Hooked bolt galv M 8x 63 8.8 Flex-Vey 60/75

pc




1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT


Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
 Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
 big@bigdutchman.de · www.bigdutchman.de






Big Dutchman®

	99-10-3909	Hooked bolt galv M 8x 78 8.8 Flex-Vey 90	pc	1
	99-20-1026	Washer A 8.4 DIN 125 galv	pc	100
	91-00-3985	Sensor MS-45R 230V with union PG36 and counter ring	pc	1
	60-40-0654	Sensor MS-45R 220V wo/thread	pc	1
	99-30-3001	Screw union PG 36	pc	1



2.6 Down pipe

	25-57-3160	Outlet B with shut-off & cable control cpl Flex-Vey 75	pc	1
	25-59-3160	Outlet B with shut-off & cable control cpl Flex-Vey 90	pc	1
	25-62-3160	Outlet B with shut-off & cable control cpl Flex-Vey 125	pc	1
	25-16-3033	Tension ring 150 galv with sealing ring 1mm	pc	1
	83-00-5791	Reducing bush 150x75 galv	pc	1
	83-00-5792	Reducing bush 150x90 galv	pc	1


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	25-57-3127	Flexible tube DN 75 PUR-MH	m	1
	25-59-3129	Flexible tube DN 90 PUR-MH	m	1
	83-00-4958	Bracket for sensor MS-45R at drop pipe 75/90	pc	1
	60-40-0754	Sensor MS-45R 220V threaded	pc	1
	99-50-1369	Hose band clip 90-110	pc	100
	99-10-3891	Drilling screw 3.5x 16 DIN 7504-K	pc	100


2.7 Silo boot

	25-16-3629	Funnel GRP for boot for flex. auger for sheet metal silos	pc	1
	25-16-3602	Upper part galv f/boot for flexible auger	pc	1

2.8 Down pipe twofold

	25-16-3033	Tension ring 150 galv with sealing ring 1mm	pc	1
	25-16-3042	Y-piece galv 150/70 2x30deg	pc	1
	25-16-3039	Y-piece galv 150/2x150 2x45deg	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




25-57-3127	Flexible tube DN 75 PUR-MH	m	1
------------	----------------------------	---	---


25-59-3129	Flexible tube DN 90 PUR-MH	m	1
------------	----------------------------	---	---

25-60-3100	Sleeve socket 150 for PG36	pc	1
------------	----------------------------	----	---

99-50-1369	Hose band clip 90-110	pc	100
------------	-----------------------	----	-----




99-10-3891	Drilling screw 3.5x 16 DIN 7504-K	pc	100
------------	--------------------------------------	----	-----



91-00-3985	Sensor MS-45R 230V with union PG36 and counter ring	pc	1
------------	---	----	---




60-40-0654	Sensor MS-45R 220V wo/thread	pc	1
------------	------------------------------	----	---




99-30-3001	Screw union PG 36	pc	1
------------	-------------------	----	---


2.9 Tandem-silo FlexVey



99-50-0475	Clamp f/pipe Flex-Vey 75	pc	1
------------	--------------------------	----	---



99-50-0476	Clamp f/pipe Flex-Vey 90	pc	1
------------	--------------------------	----	---



99-50-0477	Clamp f/pipe Flex-Vey125	pc	1
------------	--------------------------	----	---


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




Big Dutchman

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de



83-04-1320 Lower part for silo boot M75/100 tandem pc 1



83-04-1322 Lower part for silo boot M90/100 tandem pc 1
25-16-3625 Cover plate galv for hand slide pc 1

2.10 Silo boot









25-16-3626 Funnel GRP for boot for flex. auger for silos GRP pc 1




25-16-3602 Upper part galv f/boot for flexible auger pc 1

3 MPF-driving system

3.1 MPF-Drive 1line

	10-93-3152	Support 0498 MPF	pc	1
	10-93-3173	Protecting cover MPF 1line cpl collapsible	pc	1
	99-10-1045	Hexagon nut M 6 galv DIN934-8	pc	100
	10-93-3104	Pusher bo 35x57 MPF/CH	pc	1
	10-00-9543	Drive-gear reversible for MPF-Drive	pc	1
	38-91-3014	Guide plates with base plate for guide shoe SF/MPF	pc	1
	15-20-1001	Feedtrough 3000 regular 1.2mm	pc	1
	10-93-3199	Foot f/MPF-drive	pc	1

3.2 MPF-Drive 2line






	99-10-3891	Drilling screw 3.5x 16 DIN 7504-K	pc	100
---	------------	--------------------------------------	----	-----

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT






Big Dutchman.

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	10-00-9543	Drive-gear reversible for MPF-Drive	pc	1
	10-93-3104	Pusher bo 35x57 MPF/CH	pc	1
	99-20-1026	Washer A 8.4 DIN 125 galv	pc	100
	99-50-3913	Shear pin 8x1.5x30 steel tubular rivet DIN 7340	pc	100
	15-20-1001	Feedtrough 3000 regular 1.2mm	pc	1
	10-93-3199	Foot f/MPF-drive	pc	1


3.3 Hooper MPF 110L 1line- 1way

	10-93-3200	Hopper MPF 110L 1line-1way	pc	1
	10-00-0135	Chain guide f/return feed intake hopper HS	pc	1
	11-31-3798	Wheel f/return feed intake BR cpl for hopper MPF	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




99-20-1026 Washer A 8.4 DIN 125 galv pc 100




99-10-1045 Hexagon nut M 6 galv DIN934-8 pc 100

3.4 Coner 90deg. BD2000




83-00-5966 Corner 90deg BD2000 pc 1




83-00-4430 Cover for corner 90deg BD2000 pc 1




15-00-9004 Retaining washer 15mm
DIN 6799 pc 100




99-20-1012 Distance washer 40x19.5-3 PA6 pc 100



83-00-6017 Body for corner BD2000
incl chain guide rail pc 1



15-00-1001 Corner wheel with bush POM for corner BD88 pc 1



15-10-9070 Axle f/corner BD88 dia 19mm w/thread M 12 pc 1



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



Big Dutchman.

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de


3.5 Feed cleaner rotarz screen BD88 upto 18m/min

	10-93-3040	Feed cleaner rotary screen BD88 upto 18m/min	pc	1
	15-40-1402	Cover for feed cleaner	pc	1
	10-93-3043	Screen f/drum feedcleaner BD 88	pc	1
	10-93-3044	Shaft f/screen Feedcleaner BD88	pc	1
	15-40-1407	Chain wheel f/feed cleaner	pc	1
	15-40-1412	Roller chain 3/8" 46l	pc	1
	38-94-3544	Chain joint 3/8"x7/32"	pc	1
	99-50-3921	Splint pin 5x35 DIN 94/ISO 1234	pc	1
	99-10-1045	Hexagon nut M 6 galv DIN934-8	pc	100


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

4 Augermatic

A feeding system for poultry growing must meet very high standards - depending on feed distribution (ad libitum or controlled feeding) and age and type of birds. The system has to satisfy the needs of dayolds as well as those of heavy birds. Easy access to the feed and avoidance of feed waste are of great importance. To meet these requirements the best possible way, we offer our customers a variety of feed pans that can all be filled with feed by means of the renowned AUGERMATIC conveying system.



4.1 Tension shaft cpl 19mm AM with seeger ring



11-05-1082

Tension shaft cpl 19mm AM w/Seeger ring+bearing housing

pc

1




99-50-1286

Spring type straight pin 5x30 DIN 1481

pc

100




11-00-1052

Ball bearing S6203-RS

pc

1



99-50-1300

Retaining ring DIN471 17x1

pc

100



99-50-1301

Retaining ring DIN472 40x1,75

pc

100

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




Big Dutchman.

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany


Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237

big@bigdutchman.de · www.bigdutchman.de


4.2 Drive 0.55KW 20/400V 50 Hz wo/sensor with switch box

11-31-5020 Drive 0.55KW 230/400V 50Hz AM6 wo/sensor with switch box pc 1


11-31-5050 Motor 0.55kW 230/400V 50Hz 3Ph B5 cpl for drive AM6 pc 1




39-00-3279 Insulator EV/UV pc 100




83-08-6881 Suspension sheet for drive AM6 pc 1



83-07-9239 Wire mesh guard for bracket of drive AM6 pc 1




83-08-6654 Sleeve 50.8x2.9 - 50mm lg for tube dia 45mm / AM6 pc 1




83-08-6655 Sleeve 60.0 x 4.6 - 50mm lg for tube dia 50mm / AM6 pc 1



11-31-5043 Tube clip Norma dia 64 AM6 pc 1




99-10-3947 Hooked bolt galv M 6x35 Augermatic pc 1



99-20-1043 Self-locking counter nut M 6 galv DIN985-6 pc 100

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




83-07-9237	Front bracket drive AM6	pc	1
------------	-------------------------	----	---

11-31-5042	Gearbox 4.31R for motor 50Hz B5 AM6	pc	1
------------	-------------------------------------	----	---

11-31-5041	Cover for switch box AM6	pc	1
------------	--------------------------	----	---

11-31-5040	Ventilator cowl PP orange AM6	pc	1
------------	-------------------------------	----	---

11-31-5038	Fan wheel for motor AM6	pc	1
------------	-------------------------	----	---




11-31-3744	Insulator conical (for corner RPM/Challenger)	pc	1
------------	---	----	---




11-31-5034	Washer galv 4.3x16x1.5 / isolator AM6	pc	100
------------	---------------------------------------	----	-----

4.3 Hooper 115I


11-31-3540	Hopper 115I 1line cpl BP/AM for tube dia 45 and 50,8	pc	1
------------	--	----	---



11-31-1316	Upper part for hopper 115I AM ZnAl	pc	1
------------	------------------------------------	----	---




11-31-1304	Traverse f/suspension Hopper AM+BP	pc	1
------------	------------------------------------	----	---



11-31-3545	Lower part for hopper BP/AM for tube dia 45 and 50,8	pc	1
------------	--	----	---



99-20-1043	Self-locking counter nut M 6 galv DIN985-6	pc	100
------------	--	----	-----



99-50-1422	U-bolt hot-dip galv cpl 8x25/W52/H68.5 Pipe 2"	pc	1
------------	--	----	---


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT







Big Dutchman.

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	11-31-1315	Wire mesh guard cpl for lower part of hopper BP/AM	pc	1
	11-31-1314	Wire mesh guard for lower part of hopper BP/AM	pc	1
	99-20-1043	Self-locking counter nut M 6 galv DIN985-6	pc	100

4.4 Hooper 115I

	11-03-3540	Hopper 115I 2lines centric BP/AM for tube Dia 45 and 47,6	pc	1
	11-31-1316	Upper part for hopper 115I AM ZnAl	pc	1
	11-31-1304	Traverse f/suspension Hopper AM+BP	pc	1
	11-03-3541	Lower part for hopper 115L 2way central AM-Rapid-Rooster	pc	1
	99-20-1043	Self-locking counter nut M 6 galv DIN985-6	pc	100
	99-50-1422	U-bolt hot-dip galv cpl 8x25/W52/H68.5 Pipe 2"	pc	1
	11-31-1315	Wire mesh guard cpl for lower part of hopper BP/AM	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



11-31-1314

Wire mesh guard for lower part of hopper BP/AM

pc

1



99-20-1043

Self-locking counter nut M 6 galv DIN985-6

pc

100




5 Repromatic


REPMATIC is a feeding system developed by Big Dutchman to ideally meet the particular requirements of broiler breeder management. Only by restricted feeding of hens can both uniform physical and sexual development of birds during rearing and high, long lasting reproductive capability during the production phase be achieved. REPMATIC is ideally suited for achieving these targets as it perfectly combines the advantages of chain and pan feeding. The rugged CHALLENGER feed chain with a large conveying capacity is used as conveying system.



5.1 Drive RPM

	11-31-3771	Drive RPM 1-L 36m 1.50KW ccw 400V 3PH 50Hz	pc	1
	10-93-3152	Support 0498 MPF	pc	1
	99-10-1045	Hexagon nut M 6 galv DIN934-8	pc	100
	10-93-3173	Protecting cover MPF 1line cpl collapsible	pc	1
	10-00-9543	Drive-gear reversible for MPF-Drive	pc	1

5.2 Feed weigher FW-99-B


	60-40-2613	Feed weigher FW-99-B for connection with MC-95, Amacs, Viper Touch	pc	1
	20-00-3230	Substructure for feed weigher FW-99	pc	1
	20-00-3231	Collecting hopper for feed weigher FW-99 / 1 house	pc	1
	20-00-3236	Filler neck for FW-99	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

20-00-3238	Feeding hopper 3 components FW-99-B	pc	1
------------	-------------------------------------	----	---

5.3 Feed weigher FW-99-2

20-00-3230	Substructure for feed weigher FW-99	pc	1
------------	-------------------------------------	----	---



20-00-3231	Collecting hopper for feed weigher FW-99 / 1 house	pc	1
------------	--	----	---






20-00-3236	Filler neck for FW-99	pc	1
------------	-----------------------	----	---

20-00-3237	Feeding hopper 2 components FW-99-2	pc	1
------------	-------------------------------------	----	---



6 Feed pan





6.1 Conrol pan cpl. FLUXX360-16 without shot off

	11-31-4679	Control pan cpl. FLUXX360-16 without shut-off	pc	1
	83-02-5351	Grille 16-arm for FXB/FLUXX360	pc	1
	83-11-2672	Cylinder inside white FLUXX360 for sensor AFS	pc	1
	83-01-8947	Tube adapter for tube dia 45mm FXB/FLUXX360	pc	1
	60-40-2919	Sensor AFS-03 ST 90-250VAC sensitivity and adjustable delay	pc	1
	83-05-3327	Dish FLUXX360	pc	1
	83-06-9060	Cylinder outer with short fins FXB/FLUXX360	pc	1
	11-31-3529	End-tube 2775mm 4hole dia45 BP330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1




6.2 Feed pan cpl FLUXX360-16 plus without shot off

	11-31-4770	Feed pan cpl FLUXX360-16 plus without shut-off	pc	1
--	------------	--	----	---



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	83-02-5351	Grille 16-arm for FXB/FLUXX360	pc	1
	83-01-8947	Tube adapter for tube dia 45mm FXB/FLUXX360	pc	1
	83-01-6343	Dish FXB360	pc	1
	83-06-9060	Cylinder outer with short fins FXB/FLUXX360	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1





6.3 Feed pan cpl. FLUXX360-16 without shut off

	11-31-4670	Feedpan cpl FLUXX360-16 wo/shut-off	pc	1
	83-02-5351	Grille 16-arm for FXB/FLUXX360	pc	1
	83-04-2526	Cylinder inner for tube dia 45 FLUXX360 wo/shut-off	pc	1
	83-01-8947	Tube adapter for tube dia 45mm FXB/FLUXX360	pc	1



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	83-05-3327	Dish FLUXX360	pc	1
	83-06-9060	Cylinder outer with short fins FXB/FLUXX360	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1






6.4 Control pan cpl BP330 incl sensor MS-45R

	11-31-3553	Control pan cpl BP330 incl sensor MS-45R	pc	1
	11-31-3515	Tube adapter for BP/MP330	pc	1
	11-31-3514	Cylinder outer for BP/MP/RPM330/MalePan	pc	1
	11-31-3511	Dish BP330	pc	1
	99-20-1026	Washer A 8.4 DIN 125 galv	pc	100
	99-10-1046	Hexagon head screw M 8x 16 DIN 933 8.8 galv	pc	100
	99-50-3036	Pipe clamp 32-35mm S M8 galv	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	60-40-0754	Sensor MS-45R 220V threaded	pc	1
	11-31-3529	End-tube 2775mm 4hole dia45 BP330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1





6.5 Control pan cpl. BP330 excl sensor

	11-31-3551	Control pan cpl BP330 excl sensor	pc	1
	11-31-3515	Tube adapter for BP/MP330	pc	1
	11-31-3514	Cylinder outer for BP/MP/RPM330/MalePan	pc	1
	11-31-3511	Dish BP330	pc	1
	99-20-1026	Washer A 8.4 DIN 125 galv	pc	100
	99-10-1046	Hexagon head screw M 8x 16 DIN 933 8.8 galv	pc	100

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	99-50-3036	Pipe clamp 32-35mm S M8 galv	pc	1
	11-31-3529	End-tube 2775mm 4hole dia45 BP330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1


6.6 Feed pan cpl BP330 without shot off

	11-31-3501	Feed pan cpl BP330 wo/shut-off	pc	1
	11-31-3511	Dish BP330	pc	1
	11-31-3512	Grille BP330	pc	1
	11-31-3513	Cylinder inner for BP/MP330 wo/shut-off	pc	1
	11-31-3514	Cylinder outer for BP/MP/RPM330/MalePan	pc	1
	11-31-3515	Tube adapter for BP/MP330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1
	11-31-3568	Volume reducing insert white MP/RPM330	pc	1


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

6.7 Feed pan cpl. FLUXX330-14 without shot off


11-31-4771	Feedpan cpl FLUXX330-14 without shut-off	pc	1
------------	--	----	---




83-00-8718	Tube adapter for FLUXX330	pc	1
------------	---------------------------	----	---



83-00-8716	Cylinder inner for FLUXX330	pc	1
------------	-----------------------------	----	---



83-03-4691	Cylinder outer with short fins FLUXX330	pc	1
------------	---	----	---



83-05-7350	Dish with latch for FLUXX330	pc	1
------------	------------------------------	----	---




83-05-8537	Grille 14-arm with latch for FLUXX330	pc	1
------------	---------------------------------------	----	---



11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1
------------	---	---	---

6.8 Control pan cpl MP330 plus w/RPM-dish incl sensor AFS

11-31-3567	Control pan cpl MP330-plus w/RPM-dish incl sensor AFS	pc	1
------------	---	----	---









11-31-3711	Dish RPM330	pc	1
------------	-------------	----	---

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

**Big Dutchman.**






Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	11-31-3562	Grille MP330	pc	1
	83-11-2679	Cylinder inner white f/MalePan with shut-off f/sensor AFS	pc	1
	11-31-3514	Cylinder outer for BP/MP/RPM330/MalePan	pc	1
	11-31-3536	Slide shut-off BP/MP330	pc	1
	11-31-3515	Tube adapter for BP/MP330	pc	1
	60-40-2919	Sensor AFS-03 ST 90-250VAC sensitivity and adjustable delay	pc	1
	11-31-4106	Protective hose 1500mm for sensor AFS-03	pc	1
	11-31-3529	End-tube 2775mm 4hole dia45 BP330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1


6.9 Control pan FLUXX330-5 incl sensor AFS

	11-31-4778	Control pan FLUXX330-5 incl sensor AFS	pc	1
--	------------	--	----	---




1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	83-00-8718	Tube adapter for FLUXX330	pc	1
	83-11-2660	Cylinder inner white for FLUXX330 for sensor AFS	pc	1
	83-03-4691	Cylinder outer with short fins FLUXX330	pc	1
	83-05-7350	Dish with latch for FLUXX330	pc	1
	83-05-8480	Grille 5-arm with latch for FLUXX330	pc	1
	60-40-2919	Sensor AFS-03 ST 90-250VAC sensitivity and adjustable delay	pc	1
	11-31-4106	Protective hose 1500mm for sensor AFS-03	pc	1
	11-31-3529	End-tube 2775mm 4hole dia45 BP330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1




6.10 Feed pan cpl FLUXX330-5 with shut off

	11-31-1522	Feed pan cpl FLUXX330-5 with shut-off	pc	1
	83-00-8718	Tube adapter for FLUXX330	pc	1
	83-06-7527	Cylinder inner with shut-off FLUXX330	pc	1



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	83-03-4691	Cylinder outer with short fins FLUXX330	pc	1
	83-05-8480	Grille 5-arm with latch for FLUXX330	pc	1
	83-05-7350	Dish with latch for FLUXX330	pc	1
	83-03-9615	Slide valve shut-off BP-2/FLUXX330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1




6.11 Feed pan cpl BP330 with shut off

	11-31-3530	Feed pan cpl BP330 with shut-off	pc	1
	11-31-3511	Dish BP330	pc	1
	11-31-3512	Grille BP330	pc	1
	11-31-3514	Cylinder outer for BP/MP/RPM330/MalePan	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	11-31-3536	Slide shut-off BP/MP330	pc	1
	11-31-3515	Tube adapter for BP/MP330	pc	1
	11-31-3533	Cylinder inner for BP/MP330 with shut-off	pc	1
	11-31-3537	Guide ring for shut-off BP/MP330	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1
	11-31-3568	Volume reducing insert white MP/RPM330	pc	1

6.12 Control pan cpl BP 330 incl sensor AFS

	11-31-3552	Control pan cpl BP330 incl sensor AFS	pc	1
	11-31-3515	Tube adapter for BP/MP330	pc	1
	83-11-2669	Cylinder inner white for BP/MP330 wo/shut-off for sensor AFS	pc	1
	11-31-3514	Cylinder outer for BP/MP/RPM330/MalePan	pc	1
	11-31-3512	Grille BP330	pc	1
	11-31-3511	Dish BP330	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT






Big Dutchman.

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	60-40-2919	Sensor AFS-03 ST 90-250VAC sensitivity and adjustable delay	pc	1
	11-31-4106	Protective hose 1500mm for sensor AFS-03	pc	1
	11-31-3529	End-tube 2775mm 4hole dia45 BP330	pc	1
				
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1

6.13 Control pan FLUXX330-14 incl sensor MS-45


	11-31-4829	Control pan FLUXX330-14 incl sensor MS-45	pc	1
	60-40-0754	Sensor MS-45R 220V threaded	pc	1
	83-11-2662	Cylinder outer white for FLUXX330 for sensor MS-45	pc	1
	83-11-2665	Cylinder inner white for FLUXX330 for sensor MS-45	pc	1
	83-00-8718	Tube adapter for FLUXX330	pc	1
	83-05-7350	Dish with latch for FLUXX330	pc	1
	83-05-8537	Grille 14-arm with latch for FLUXX330	pc	1
	11-31-4106	Protective hose 1500mm for sensor AFS-03	pc	1
	11-31-3529	End-tube 2775mm 4hole dia45 BP330	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




11-31-3248 Auger open core 35.4/45 right AM/SA per running meter m 1


6.14 Feed pan cpl Male Pan 330 with shut off and BP-dish




11-31-3585 Feed pan cpl MalePan 330 with shut-off and BP-dish pc 1




11-31-3511 Dish BP330 pc 1




11-31-3562 Grille MP330 pc 1




83-00-0131 Cylinder inner for MalePan with shut-off pc 1




11-31-3514 Cylinder outer for BP/MP/RPM330/MalePan pc 1



11-31-3536 Slide shut-off BP/MP330 pc 1



83-00-0130 Guide ring for shut-off MalePan pc 1





11-31-3596 Compression spring D-207 J-01 pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT







Big Dutchman.




Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	11-31-3597	Holding pin for tube adapter rigidly mounted	pc	1
	11-31-3587	Tube adapter PA for rigid Male Pan	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1



6.15 Control pan cpl MalePan w/BP-dish incl sensor AFS

	11-31-3588	Control pan cpl MalePan w/BP-dish incl sensor AFS	pc	1
	11-31-3511	Dish BP330	pc	1
	11-31-3562	Grille MP330	pc	1
	83-11-2679	Cylinder inner white f/"MalePan with shut-off" f/sensor AFS	pc	1
	11-31-3514	Cylinder outer for BP/MP/RPM330/MalePan	pc	1
	11-31-3536	Slide shut-off BP/MP330	pc	1





1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	83-11-2686	Guide ring white for shut-off for sensor AFS	pc	1
	11-31-3596	Compression spring D-207 J-01	pc	1
	11-31-3597	Holding pin for tube adapter rigidly mounted	pc	1
	11-31-3587	Tube adapter PA for rigid Male Pan	pc	1
	60-40-2919	Sensor AFS-03 ST 90-250VAC sensitivity and adjustable delay	pc	1
	11-31-4106	Protective hose 1500mm for sensor AFS-03	pc	1
	11-31-3248	Auger open core 35.4/45 right AM/SA per running meter	m	1

6.16 Feed pan cpl TRU PAN aut. dia 45.0

	11-31-4150	Feed pan cpl TRU PAN aut. dia 45,0 - preparatory -> 25kg	pc	1
	83-00-4619	Tube 45x1,25-3050 1hole TRU PAN	pc	1
	11-31-3522	Tube 45x1,25-3050 2hole BP330	pc	1
	11-31-3523	Tube 45x1,25-3050 3hole BP330	pc	1




1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	83-00-7138	Drawbar 4x2995 for automatic flooding device TRU PAN	pc	1
	11-31-4107	Distance nut hexag. M4-25mm	pc	100
	99-50-0014	Cable clamp 3mm 1/8" galv DIN 741	pc	100
	83-00-7135	Traction rope 1,60x350 for TRU PAN	pc	1
	83-00-0195	Feed saving collar TRU PAN	pc	1
	83-00-0192	Grille TRU PAN	pc	1
	83-00-0189	Cylinder inner for TRU PAN	pc	1
	83-00-0190	Cylinder outer for TRU PAN	pc	1
	83-00-0191	Flooding slide TRU PAN	pc	1
	83-00-0193	Dish with cone TRU PAN	pc	1

6.17 Control pan cpl TRU PAN aut. dia 45.0

	11-31-4159	Control pan cpl TRU PAN aut. dia 45,0 - preparatory -> 25kg	pc	1
--	------------	---	----	---


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	83-00-4619	Tube 45x1,25-3050 1hole TRU PAN	pc	1
	11-31-3522	Tube 45x1,25-3050 2hole BP330	pc	1
	11-31-3523	Tube 45x1,25-3050 3hole BP330	pc	1
	11-31-4106	Protective hose 1500mm for sensor AFS-03	pc	1
	83-00-7138	Drawbar 4x2995 for automatic flooding device TRU PAN	pc	1
	11-31-4107	Distance nut hexag. M4-25mm	pc	100
	99-50-0014	Cable clamp 3mm 1/8" galv DIN 741	pc	100
	83-00-7135	Traction rope 1,60x350 for TRU PAN	pc	1
	83-00-0195	Feed saving collar TRU PAN	pc	1
	83-00-0192	Grille TRU PAN	pc	1
	83-00-0189	Cylinder inner for TRU PAN	pc	1
	83-00-0190	Cylinder outer for TRU PAN	pc	1
	83-00-0191	Flooding slide TRU PAN	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



Big Dutchman.
Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de




83-00-0193 Dish with cone TRU PAN pc 1

6.18 Control pan cpl TRU PAN man. dia 45.0



11-31-4300 Feed pan cpl TRU PAN man. dia 45,0 - rearing -> 25kg pc 1

83-00-4619 Tube 45x1,25-3050 1hole TRU PAN pc 1



11-31-3522 Tube 45x1,25-3050 2hole BP330 pc 1

11-31-3523 Tube 45x1,25-3050 3hole BP330 pc 1



83-00-0195 Feed saving collar TRU PAN pc 1



83-00-0192 Grille TRU PAN pc 1



83-00-0189 Cylinder inner for TRU PAN pc 1



83-00-0190 Cylinder outer for TRU PAN pc 1


83-00-0543 Insert 1/2 for rearing TRU PAN pc 1

83-00-0191 Flooding slide TRU PAN pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de






83-00-0193	Dish with cone TRU PAN	pc	1
------------	------------------------	----	---

6.19 Control pan TRU PAN man. dia 45.0

11-31-4309	Control pan cpl TRU PAN man. dia 45,0 - rearing -> 25kg	pc	1
------------	--	----	---

83-00-4619	Tube 45x1,25-3050 1hole TRU PAN	pc	1
------------	------------------------------------	----	---



11-31-3522	Tube 45x1,25-3050 2hole BP330	pc	1
------------	-------------------------------	----	---

11-31-3523	Tube 45x1,25-3050 3hole BP330	pc	1
------------	-------------------------------	----	---

11-31-4106	Protective hose 1500mm for sensor AFS-03	pc	1
------------	--	----	---



83-00-0195	Feed saving collar TRU PAN	pc	1
------------	----------------------------	----	---



83-00-0192	Grille TRU PAN	pc	1
------------	----------------	----	---




83-00-0189	Cylinder inner for TRU PAN	pc	1
------------	----------------------------	----	---




83-00-0190	Cylinder outer for TRU PAN	pc	1
------------	----------------------------	----	---

83-00-0543	Insert 1/2 for rearing TRU PAN	pc	1
------------	-----------------------------------	----	---




83-00-0193	Dish with cone TRU PAN	pc	1
------------	------------------------	----	---






83-00-0193 Dish with cone TRU PAN pc 1

6.20 Feed pan cpl TRU PAN man. dia 45.0



11-31-4350 Feed pan cpl TRU PAN man. dia 45,0 - preparatory -> 25kg pc 1

83-00-4619 Tube 45x1,25-3050 1hole TRU PAN pc 1



11-31-3522 Tube 45x1,25-3050 2hole BP330 pc 1

11-31-3523 Tube 45x1,25-3050 3hole BP330 pc 1



83-00-0195 Feed saving collar TRU PAN pc 1



83-00-0192 Grille TRU PAN pc 1




83-00-0189 Cylinder inner for TRU PAN pc 1



83-00-0190 Cylinder outer for TRU PAN pc 1

83-00-0191 Flooding slide TRU PAN pc 1




83-00-0193 Dish with cone TRU PAN pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH


P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de





83-00-0193 Dish with cone TRU PAN

pc 1



83-00-0193 Dish with cone TRU PAN

pc 1


6.21 Control pan TRU PAN man. dia 45,0

11-31-4359 Control pan cpl TRU PAN man.
dia 45,0 - preparatory -> 25kg

pc 1

83-00-4619 Tube 45x1,25-3050 1hole
TRU PAN

pc 1



11-31-3522 Tube 45x1,25-3050 2hole BP330

pc 1

11-31-3523 Tube 45x1,25-3050 3hole BP330

pc 1

11-31-4106 Protective hose 1500mm for sensor AFS-03

pc 1



83-00-0195 Feed saving collar TRU PAN

pc 1



83-00-0192 Grille TRU PAN

pc 1



83-00-0189 Cylinder inner for TRU PAN

pc 1




83-00-0190 Cylinder outer for TRU PAN

pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT


Big Dutchman.
Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de



83-00-0193

Dish with cone TRU PAN

pc

1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH






P.O.Box 1163 · 49360 Vechta · Germany

Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237

big@bigdutchman.de · www.bigdutchman.de

**Big Dutchman**

7 Feeding supply


	99-50-3700	Wire rope 5mm galv	m	100
	99-50-0013	Wire rope 3mm galv	m	100
	99-50-0120	Safety cable clamp 5mm 3/16" DINEN13411-5 galv. NG5	pc	100
	11-31-3211	Tube clamp riveted cpl for tube d45.0	pc	1
	11-31-3524	Tube 45x1,25-3050 4hole BP330	pc	1
	11-00-0089	Hanger (ZnAl-B) for tube BP/AM	pc	1
	11-30-3140	Starter kit cable winch 800kg lower gable suspension	pc	1
	99-50-3142	Winch 800kg for wall mounting incl crank	pc	1
	99-50-3142	Winch 800kg for wall mounting incl crank	pc	1
	83-00-0894	Bracket universal for cable winches and pulley 3 1/2"	pc	1
	83-00-1043	Counter plate f/bracket univ.	pc	1
	25-16-3422	SEAL, NEOPRENE, F/3" & 3.5" UNLOADER FLX-3422	pc	1
	83-00-5087	Pipe 90x3,50-1200 PVC slotted	pc	1
	83-00-5088	Pipe 102x4,00-1200 PVC slott.	pc	1
	83-00-5089	Pipe 110x3,00-1200 PVC slott.	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT





Big Dutchman.

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	83-10-5730	Traction rope 1.5x750mm SST w/plastic sleeve C2+	pc	1
	99-50-3174	Coupling 35x3-200 for pipe 1 1/4"	pc	1
	10-93-1629	Cup hook galv 80x22x7.8	pc	1

7.1 Silo vibrator

	25-00-3702	Plate round f/vibration motor galv without screws	pc	1
	25-00-1002	Vibration motor 0.18KW 3000rpm 230/400V 50/60Hz	pc	1
	91-00-3985	Sensor MS-45R 230V with union PG36 and counter ring	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

8 Water supply

8.1 Connection unit 3/4" PVC special electronic 12-200l/h

30-62-4030	Connection unit 3/4" PVC special electronic 12-2000l/h	pc	1
consisting of:			
30-62-4025	Reversible flow filter DUO FR 3/4" w/connect.mater. PVC & manomet	pc	1
30-62-4002	Valve stop 3/4" with connection material PVC	pc	1
30-00-3860	Water meter w/contact cpl 3/4" 6-5000L/h QN 2.5 10L/K	pc	1
30-62-4003	By-pass cpl 3/4" with connection PVC for medicator	pc	1
30-00-3660	Bracket for connection unit 3/4" cpl	pc	2



30-62-4025	Reversible flow filter DUO FR 3/4" w/connect.mater. PVC & manomet	pc	1
------------	---	----	---




30-62-4002	Valve stop 3/4" with connection material PVC	pc	1
------------	--	----	---

30-00-3860	Water meter w/contact cpl 3/4" 6-5000L/h QN 2.5 10L/K	pc	1
------------	---	----	---



30-62-4003	By-pass cpl 3/4" with connection PVC for medicator	pc	1
------------	--	----	---

30-00-3660	Bracket for connection unit 3/4" cpl	pc	1
------------	--------------------------------------	----	---



30-00-3846	Sealing strip 0.1mm/12m for thread HDF	rl	1
------------	--	----	---

8.2 Connection unit 3/4" PVC standard electronic

30-62-4010	Connection unit 3/4" PVC standard electronic 12-2000l/h	pc	1
consisting of:			
30-62-4005	Water filter 3/4" standard with connection material PVC & manometer	pc	1
30-62-4002	Valve stop 3/4" with connection material PVC	pc	1
30-00-3860	Water meter w/contact cpl 3/4" 6-5000L/h QN 2.5 10L/K	pc	1
30-62-4003	By-pass cpl 3/4" with connection PVC for medicator	pc	1
30-00-3660	Bracket for connection unit 3/4" cpl	pc	2



30-62-4005	Water filter 3/4" standard with connection material PVC & manometer	pc	1
------------	---	----	---

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



Big Dutchman.

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de




30-62-4002	Valve stop 3/4" with connection material PVC	pc	1
------------	--	----	---

30-00-3860	Water meter w/contact cpl 3/4" 6-5000L/h QN 2.5 10L/K	pc	1
------------	---	----	---



30-62-4003	By-pass cpl 3/4" with connection PVC for medicator	pc	1
------------	--	----	---

30-00-3660	Bracket for connection unit 3/4" cpl	pc	1
------------	--------------------------------------	----	---



30-00-3846	Sealing strip 0.1mm/12m for thread HDF	rl	1
------------	--	----	---

8.3 Pressure red. + filter duo DFRII 3/4" 1.5-6bar with manometer

30-61-3682	Pressure red.+filter Duo DFRII 3/4" 1.5-6bar w/manometer	pc	1
------------	--	----	---

30-61-3683	Pressure red.+filter Duo DFRII 1" 1.5-6bar w/manometer	pc	1
------------	--	----	---

30-61-3619	Manometer f/pressure red.+filter Duo DFR 3/4" & 1"	pc	1
------------	--	----	---

30-61-3623	Control cartridge f/pressure red.+filter Duo DFR 3/4" & 1"	pc	1
------------	--	----	---

30-61-3632	Filter insert f/pressure red.+filter Duo FRII, DFRII 3/4"	pc	1
------------	---	----	---

30-62-4251	Wrench for filter cup Duo FRII, DFRII	pc	1
------------	---------------------------------------	----	---

8.4 Water filter 3/4"

30-00-3871	Water filter 3/4" fm w/filter insert	pc	1
------------	--------------------------------------	----	---



30-00-3684	Filter insert 60 micron for 3/4" + 1" water filter 30-00-3871 / 30-00-3877 / 30-62-4005	pc	1
------------	---	----	---



30-00-3874	Inspection glass f/water filter 30-00-3871 & 30-62-3601	pc	1
------------	---	----	---

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de



9 Drinking system


Drinking systems - for the correct amount of fresh and clean drinking water To achieve the optimum performance from your birds, it is extremely important to provide fresh and clean drinking water. For this, water must be available reliably, free from contamination and within easy reach for the birds. Big Dutchman satisfies all of these requirements in an ideal way - offering a wide range of drinking systems for broilers, turkeys, and breeders, as well as pullets and layers. Our product range includes:

- nipple drinkers with and without drip cup;
- special broiler and turkey drinkers;
- round drinkers for open water supply;
- cable winches;
- water connection unit with medicator.

The choice of the right drinking system depends on the type of bird, on the field of use, on the situation in the house and on your individual requirements. Please let our experts advise you.



9.1 Pressure regulator L3200 without additional parts

	30-63-3600	Pressure regulator L3200 without additional parts	pc	1
	30-63-3608	Plug for outlet for L3200	pc	1
	30-63-3688	Diaphragm L3200	pc	1
	30-63-3689	Valve seal L3200	pc	1
	30-63-3695	O-ring 20,0x2,5 L3200	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



30-63-3691 Flush bordering L3200 pc 1



30-63-3692 Adjusting mechanism L3200 pc 1

9.2 Breather revolving for end set cpl L4244



30-61-3430 Breather revolving for end set cpl L4244 pc 1




99-10-1045 Hexagon nut M 6 galv DIN934-8 pc 100




30-63-3694 Toggle for adjusting mechanism L3200 pc 1

9.3 Coupling alu profile



30-61-3480 Profile alu for waterer 3m pc 1




30-61-3484 Coupling half 80mm for profile-alu pc 1



30-00-3025 Coupling cpl W-PVC/SST for nipple pipe-22 laying/floor pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

9.4 Round drinker cpl J-T w/cord an hose

	30-03-3330	Round drinker cpl J-T w/cord and hose	pc	1
	30-03-3171	Bell f/drinker Jumbo-T	pc	1
	30-03-3102	Ballast container cpl for Jumbo B/T	pc	1
	30-03-3103	Base f/drinker Jumbo-B/T	pc	1
	30-03-3104	Cover for drinker Jumbo-B/T	pc	1
	30-03-3105	Plug Jumbo-B/T/J	pc	1
	30-03-3106	Valve housing outer Jumbo-B/T	pc	1
	30-03-3107	Valve housing inner Jumbo-B/T	pc	1
	30-03-3108	Stem Jumbo-B/T	pc	1
	30-03-3179	Big spring Jumbo-T	pc	1
	30-03-3110	Backnut Jumbo-B/T/J	pc	1
	30-03-3111	Valve insert cpl with washer Jumbo-B/T/J/98	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

**Big Dutchman.**





Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	30-03-3112	Tightener for suspension cord Jumbo-B/T/J/98	pc	1
	30-03-3113	Hose guide Jumbo-B/T/J/98	pc	1
	99-50-1019	Suspension rope 3mm PES black	m	100
	30-03-3115	S-hook for suspension Jumbo-B/T/J	pc	1
	30-03-3116	Socket Jumbo-B/T/J/98/Penta	pc	1
	30-03-3125	Shut-off saddle cpl Jumbo-B/T/J/98	pc	1
	30-03-3128	Hose - runn mtr - 5x8,5	m	1

9.5 Round drinker cpl Jumbo B

	30-03-3310	Round drinker cpl J-B w/cord and hose	pc	1
	30-03-3101	Bell f/drinker Jumbo-B	pc	1
	30-03-3102	Ballast container cpl for Jumbo B/T	pc	1
	30-03-3103	Base f/drinker Jumbo-B/T	pc	1
	30-03-3104	Cover for drinker Jumbo-B/T	pc	1
	30-03-3105	Plug Jumbo-B/T/J	pc	1
	30-03-3106	Valve housing outer Jumbo-B/T	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	30-03-3107	Valve housing inner Jumbo-B/T	pc	1
	30-03-3108	Stem Jumbo-B/T	pc	1
	30-03-3109	Big spring Jumbo-B	pc	1
	30-03-3110	Backnut Jumbo-B/T/J	pc	1
	30-03-3111	Valve insert cpl with washer Jumbo-B/T/J/98	pc	1
	30-03-3112	Tightener for suspension cord Jumbo-B/T/J/98	pc	1
	30-03-3113	Hose guide Jumbo-B/T/J/98	pc	1
	99-50-1019	Suspension rope 3mm PES black	m	100
	30-03-3115	S-hook for suspension Jumbo-B/T/J	pc	1
	30-03-3116	Socket Jumbo-B/T/J/98/Penta	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



30-03-3125	Shut-off saddle cpl Jumbo-B/T/J/98	pc	1
------------	---------------------------------------	----	---

30-03-3128	Hose - runn mtr - 5x8,5	m	1
------------	-------------------------	---	---

30-03-3129	Chick ring Jumbo-B	pc	1
------------	--------------------	----	---

9.6 Round drinker Jumbo 98


30-03-3320	Round drinker cpl J-98 w/cord and hose	pc	1
------------	--	----	---

30-02-3201	Bell f/drinker Jumbo-98	pc	1
------------	-------------------------	----	---

30-02-3206	Valve housing Jumbo-98	pc	1
------------	------------------------	----	---



30-03-3111	Valve insert cpl with washer Jumbo-B/T/J/98	pc	1
------------	--	----	---



30-02-3209	Big spring Jumbo-98	pc	1
------------	------------------------	----	---

30-02-3208	Adjusting screw Jumbo-98	pc	1
------------	-----------------------------	----	---

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH
 P.O.Box 1163 · 49360 Vechta · Germany
 Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
 big@bigdutchman.de · www.bigdutchman.de



10 Medication

The medicator dispenses the correct amount of vitamins and medicines into the drinking water. The amount to be dispensed can be adjusted precisely as the compounds are admitted to the drinking system proportionally to the actual water consumption. The respective compound and the water are mixed at the homogeniser outlet. Thus, the motor does not come into contact with the medications used -> no blockages occur, longer service life. Water-soluble medicines are extracted directly from their original packaging.




30-61-3105	Mixing tank 60L f/medicines with lye pump	pc	1
------------	---	----	---




30-61-3107	Centrifugal pump RM PP for mixing tank 60l/180l as of 05-2010	pc	1
------------	---	----	---

30-62-3070	Medicator 10-2500L/h 0,2-2.0% w/connection material 3/4"	pc	1
------------	--	----	---



30-62-3540	Medicator 10-2500L/h 0.2-2.0% 0.30-6.00 bar L4237-1 D25 RE2	pc	1
------------	---	----	---

30-62-3121	Medicator 10-2500L/h 1-5.0% w/connection material 1"	pc	1
------------	--	----	---



30-62-3545	Medicator 10-2500L/h 1.0-5.0% 0.30-6.00 bar L4238-1 D25 RE5	pc	1
------------	---	----	---

30-61-4006	Sealing set dosingpart PJD1075VF medicator DI16	pc	1
------------	---	----	---



30-61-3201	Spare part set A for medicator 9-3400 L/h 0,2-2,5%	pc	1
------------	--	----	---

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



Big Dutchman.

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de



30-00-3118 Hose union 1"x19 brs flat pc 1



30-61-3532 Discharge 3/4" 90deg angle for med. mixing tank B-no. 4209 pc 1



30-00-3122 Hose union 3/4"x19 brs flat pc 1



30-00-3077 Bend 3/4"fmx20mm PA pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de




Big Dutchman

11 Fresh air

To ensure the best possible fresh air supply for your poultry house, Big Dutchman provides a wide range of different air supply systems. Depending on the structural conditions of the house and your ventilation requirements - negative pressure, positive pressure or equal pressure ventilation - the following systems can be used:

- wall or ceiling inlets
- fresh air supply chimneys FAC and Fumus
- baffle and split baffle
- large air inlets for longitudinal ventilation

Let our experts advise you to find the perfect solution for your poultry production.




60-43-4011

Fresh air inlet CL-1911/F without grille

pc

1



60-43-4015

Grille coarse 65x20 for CL-1911

pc

1

81-34-3895

Flap for fresh air inlet CL-1911/F

pc

1

60-43-3125

Air direction plate short f/CL-1911 cpl incl. assem.-kit V13

pc

1

60-43-3123

Air direction plate short for CL-1911 V13

pc


1

60-43-3124

Assembly-kit f/air direction plate for CL-1911 V13

pc

1




60-44-3140

Fresh air inlet CL-2-1220 wo/grille

pc

1




60-44-3144

Fresh air inlet CL-2-1224 wo/grille

pc

1



60-44-3149

Fresh air inlet CL-2-1229 wo/grille

pc

1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT







Big Dutchman.

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany

Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237

big@bigdutchman.de · www.bigdutchman.de

	60-44-3153	Fresh air inlet CL-2-1233 wo/grille	pc	1
	60-44-3199	Idler roller cpl for CL-1200	pc	1
	60-43-3122	Assembly-kit air direction plate for CL-1200 V13	pc	1
	60-44-3015	Grille coarse 65x20 for CL-2-1200	pc	1
	60-43-3009	Flange-fresh air inlet CL-1200-B/F wo/grille	pc	1
	81-03-9589	Flap for fresh air inlet 1200B/F	pc	1
	60-44-0194	Operation-kit for fresh air inlet CL-1200-B/F	pc	1
	60-43-3122	Assembly-kit air direction plate for CL-1200 V13	pc	1
	60-44-3015	Grille coarse 65x20 for CL-2-1200	pc	1
	60-43-3120	Air direction plate short f/CL-1200 cpl incl. assem.-kit V13	pc	1
	60-43-3121	Air direction plate short for CL-1200 V13	pc	1
	40-20-1095	Fan f/recirculating air 6E50 6400m ³ 0.30KW 230V 50Hz 900r	pc	1
	40-20-1090	Fan f/recirculating air R20-9 5800m ³ 0.15KW 230V 50Hz	pc	1
	40-20-1091	Wire mesh guard add. for circulation fan R20-9	pc	1
	60-47-3363	Shutter PVC VSK63/2	pc	1
	60-47-3350	Shutter PVC VSK50	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT




60-60-0500	Idler pulley 107mm 45deg PVR with finger guard	pc	1
------------	--	----	---

60-60-0002	Bracket for idler pulley PVR	pc	1
------------	------------------------------	----	---



12 Exhaust air



	60-25-3035	Fan EM50 1.50HP E15 SST 41930m ³ 400-3-50 assembled max. 60Pa	pc	1
	60-20-3075	Electric motor 1.50HP 230/400V 50/60Hz EM50 wo/ventilator for cooling	pc	1
	60-25-3047	Impeller for fan EM50 SST	pc	1
	60-20-1099	Centrifugal system EM50 single speed	pc	1
	60-25-3049	V-belt pulley cpl for impeller EM50	pc	1
	60-20-1249	V-belt 13x8-2240 DIN 2215 A88 for EM48/50	pc	1
	60-20-1108	Wire mesh guard half EM48/50	pc	1
	60-20-1092	Wire mesh guard CE cpl for shutter EM50	pc	1
	60-20-1093	Wire mesh guard f/shutter EM50	pc	1
	60-20-1098	Light trap EM50	pc	1
	60-25-3141	Fan EMC50 1.50HP E13 SST 45900m ³ 400-3-50 assembled w/cone max. 60Pa	pc	1
	99-50-1073	V-belt 13x8-1250 DIN 2215 A49 (EMC50)	pc	1


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
 Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
 big@bigdutchman.de · www.bigdutchman.de



Big Dutchman


	60-25-4141	Fan BD-V130-3-1.5HP-R 43700m ³ 400-3-50 assembled	pc	1
	60-25-4275	Electric motor-MF 1,50HP 230/400V 50Hz 3Ph T	pc	1
	60-25-4285	V-belt V130-B for 50Hz	pc	1
	60-25-4286	V-belt V130-A for 60Hz	pc	1
	60-25-4240	Light trap V130	pc	1
	60-25-4242	Mounting set for light trap V130	pc	1
	60-43-6441	Fastening for fan CL-600	pc	1
	60-47-7908	Fan FF091-6EQ 1x230V 50Hz 4.2A	pc	1
	60-47-7906	Fan FF091-6ET 1x230V 50Hz 4.2A f/tube	pc	1
	60-47-7907	Fan FF091-6DT 3x400V 50/60Hz 1.9/2.4A f/tube	pc	1
	60-47-9050	Fan FC050-4ET 8000m ³ 230V 450W 2,7A f/tube	pc	1
	60-47-9550	Fan FC050-4DT 8330m ³ 400V 432W 1,3A f/tube	pc	1
	60-47-9150	Fan FC050-4EQ 8000m ³ 230V 450W 2.7A	pc	1
	60-47-7902	Fan FF063-6DT(S) 3x400V 50/60Hz 1.3/1.5A f/tube	pc	1
	60-47-7903	Fan FF063-6DT 3x400V 50/60Hz 1.3/1.5A f/tube	pc	1
	60-47-7904	Fan FF063-6EQ 1x230V 50/60Hz 2.5/3.3A	pc	1
	60-47-7901	Fan FF063-6ET 1x230V 50/60Hz 2.5/3.3A f/tube	pc	1
	60-47-7900	Fan FF063-6ET(S) 1x230V 50/60Hz 2.5/3.3A f/tube	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

**Big Dutchman.****Big Dutchman International GmbH**P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de




60-47-9071 Fan FC071-6ET(R) 16450m³ 230V 785W 4,6A f/tube pc 1



60-47-9571 Fan FC071-6DT(R) 17000m³ 400V 780W 1.9A f/tube pc 1



60-47-9080 Fan FC080-6ET(R) 23000m³ 230V 1160W 6,7A f/tube pc 1




60-47-9580 Fan FC080-6DT(R) 22900m³ 400V 1120W 3.1A f/tube pc 1

60-47-4250 Impeller for fan 4E/D50-Q pc 1

60-47-4150 Impeller for fan 4E/D50 pc 1

60-47-4263 Impeller for fan 6E63-Q pc 1

60-47-9963 Wire mesh guard ZA-D63 pc 1



60-20-1107 Spacer for mesh fixing pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de



Big Dutchman

13 Cooling

61-00-4060	Nozzle Z cpl 0.2mm brass	pc	1
------------	--------------------------	----	---



61-00-4065	Nozzle Z cpl 0.2mm SST	pc	1
------------	------------------------	----	---

61-00-4054	Nozzle Z cpl 0.2mm antilime	pc	1
------------	-----------------------------	----	---



61-00-4053	Plug SST for nozzle line	pc	1
------------	--------------------------	----	---

61-00-4250	Starter set fogging-system for 2 rows mounted rigidly at wall with screw joint	pc	1
------------	--	----	---

61-00-4450	Connection tube 6000	pc	1
------------	----------------------	----	---

61-00-4506	Nozzle line cpl 6m f/6 nozzles 1-side/mounted rigidly at wall with screw joint	pc	1
------------	--	----	---

61-00-4406	Nozzle line 6000 for 6 nozzles bored 1-side	pc	1
------------	---	----	---

61-00-4507	Nozzle line cpl 6m f/7 nozzles 1-side/mounted rigidly at wall with screw joint	pc	1
------------	--	----	---

61-00-4407	Nozzle line 6000 for 7 nozzles bored 1-side	pc	1
------------	---	----	---

61-00-4416	Nozzle line 6000 for 6nozzles bored offset	pc	1
------------	--	----	---

61-00-4616	Nozzle line cpl 6m f/6 nozzles offset - suspended with screw joint	pc	1
------------	--	----	---



61-00-4075	Screw union 12 G	pc	1
------------	------------------	----	---



61-00-4076	Screw union 12 W	pc	1
------------	------------------	----	---






61-00-4077	Screw union 12 T	pc	1
------------	------------------	----	---

61-00-4998	Pump unit 1,5KW 60 nozzles incl filter unit "S" 5,5L/min, with cover	pc	1
------------	--	----	---

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

**Big Dutchman.****Big Dutchman International GmbH**
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	61-00-4999	Pump unit 2,2KW 140 nozzles incl filter unit "S" 12L/min, with cover	pc	1
	61-00-5000	Pump unit 3,0KW 250 nozzles incl filter unit "S" 21,0L/min, with cover	pc	1
	61-00-5010	Pump unit 4.4KW 350 nozzles incl. filter unit "S" 30L/min wo/cap	pc	1
	61-00-5011	Top blue for Pump unit "S" 4,00KW 350 nozzles	pc	1
	61-00-4798	Pump unit 5,50KW 350 nozzles 30L/min 70bar "R" 1 house	pc	1
	61-00-4116	High pressure valve 1/2" 70bar	pc	1
	61-00-4118	Pressure regulator 3/8"35L/min	pc	1
	61-00-4115	Manometer 160 bar rear connect 1/4"	pc	1
	61-00-4067	Ball valve 3/8" fm/fm SST	pc	1
	61-00-5008	Filter unit with 2 filters 10/25 micron	pc	1
	61-00-4092	Filter unit with 4 filters 25/10/5/1 micron	pc	1
	61-00-4093	Filter unit with 4 filters and proportioner 1%-5%	pc	1
	61-00-4101	Filter insert 1 micron	pc	1
	61-00-4102	Filter insert 5 micron	pc	1
	61-00-4103	Filter insert 10 micron	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



61-00-4104	Filter insert 25 micron	pc	1
------------	-------------------------	----	---



61-00-3058	Anti-Seize Spray 100ml for screw connection SST	pc	1
------------	---	----	---




61-00-3046	Loctite 542 / 10ml	pc	1
------------	--------------------	----	---



14 Heating system

Ideal house temperatures have a substantial influence on bird health and performance. Adequate heating systems are therefore required in many climate zones. The overall goal is to maximise the thermal yield and transfer it to the birds in the best possible way to keep energy costs as low as possible. Big Dutchman offers several different heating systems powered by gas, oil or hot water and used with or without chimney. Please let our experts advise you to find the ideal heating system for your house!



42-20-1500 Jet-Master GP70-BCU natur. gas pc 1



42-20-1000 Jet-Master GP70-BCU propane pc 1

40-20-1665 Connection set 1"x1000 for Jet-Master GP70-95-120 natural gas pc 1

40-20-1636 Connection set for Jet-Master up to GP70 propane / export pc 1



40-20-3903 Compact unit CG220 for GP70-GP120 pc 1



40-20-3808 Cap for ionisation rod space Jet-Master GP70 pc 1

41-20-3874 Fan cpl 2E30 Jet-Master GP70 BCU pc 1

41-20-3920 Impeller for GP70-BCU pc 1

40-20-3943 Burner nozzle f/conversion natural gas to propane GP70-BCU pc 1



40-20-3763 Burner nozzle 12 x 2.30mm GP70 natural gas pc 1

41-20-3880 Control-box BCU for Jet-Master GP14 upto GP120-BCU/upper part pc 1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de




	40-20-3853	Cable 95cm f/ionisation rod space Jet-Master GP14/40/70/95/120	pc	1
	40-20-3900	Board for compact unit Jet-Master GP	pc	1
	41-20-3896	Ignition transformer for Jet-Master GP14 upto GP120-BCU	pc	1
	41-20-3897	Protective cover for BCU Jet-master GP14-120	pc	1
	40-20-1010	Initiating electrode Beru N50260030 for GP40/70	pc	1
	40-20-1007	Ionization electrode Sapco Beru N50260031 for GP40/70	pc	1
	41-20-3809	Air pressure switch cpl f/Jet-Master BCU incl cable,cover,..	pc	1
	40-20-3956	Temperature probe STW/STB VK65 Jet-Master BCU	pc	1
	42-20-1560	Jet-Master GP95-BCU natur. gas	pc	1
	42-20-1060	Jet-Master GP95-BCU propane	pc	1
	40-20-1646	Connection set for Jet-Master GP/NG-L 80-120 propane/export	pc	1
	40-20-3903	Compact unit CG220 for GP70-GP120	pc	1
	40-20-3892	Impeller 18" for GP95	pc	1


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT


Big Dutchman.
Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de


	40-20-3851	Initiating electrode Beru N50390005 for GP95/120	pc	1
	40-20-3764	Burner nozzle 12 x 2.70mm s GP95A BCU natural gas	pc	1
	40-20-1800	Jet-Master P100 diesel	pc	1
	41-20-3885	Control box BCU for Jet-Master P40 upto P120-BCU / upper part	pc	1
	40-20-1706	Photocell for oil-heater P40 - P120 / RGA60 - RGA95	pc	1
	40-20-1711	Ignition transformer for oil-heater P 40 - P120 incl ignition cable	pc	1
	40-20-1705	Oil pump Danfoss RSA60 for oil-heater P 40 - P120	pc	1
	40-20-1714	Oil-filter GA for oil-heater P 40 - P120	pc	1
	40-20-1707	Coupling for oil pump P 40 - P120	pc	1
	40-20-1701	Air separator for diesel-heater P 40 - P 120	pc	1
	40-20-1713	Time relay for oil-heater P40-P120 / Omron H3DR-H 230V	pc	1
	40-20-1712	Burner relay LOA 28 for oil-heater P 40 - P120	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	40-20-1709	Initiating electrode for oil-heater P 40 - P120	pc	1
	40-20-2060	Jet-Master RGA100-BCU natural gas	pc	1
	40-20-3922	Motor for RGA 100 Elnor BX275 with condenser	pc	1
	40-20-3934	Compact unit CG20 for RGA 100	pc	1
	40-20-3936	Control-box BCU for RGA 100 upper part	pc	1
	40-20-1010	Initiating electrode Beru N50260030 for GP40/70	pc	1
	40-13-3800	Infra-red heater E M8 5000-500 Export/propane (LPG) 20-1400	pc	1
	40-13-3807	Thermocouple for gas-brooder M8	pc	1
	40-13-3822	Control f/max. 60 infra-red heaters propane high/low not DVGW	pc	1
	40-20-3880	Burner relay LGA 52 Jet-Master (Landis & Gyr)	pc	1
	40-20-3881	Header f/burner relay Landis & Gyr	pc	1
	40-20-1005	Ignition transformer TZI 7-20 Jet-Master	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

**Big Dutchman.****Big Dutchman International GmbH**
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de



	40-20-3906	Fan cpl 4E508PP for Jet-Master GP120	pc	1
	40-20-3852	Ionization electrode Sapco Beru N50390006 for GP95/120	pc	1
	40-10-3925	Fan FN063-6DT (70Â°C) 3PH 230/400V 630W 2.2A	pc	1
	40-20-1957	Ignition module Pactrol for radiant tube heater BDHE	pc	1
	40-20-1666	Safety valve thermic TAS21-ST/100 fm-m 1"	pc	1
	40-20-1547	Gas tap 1" accord. to DVGW	pc	1
	40-20-1546	Gas tube 1"x1000 SST w/union according to DVGW	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT


15 Electrical Items

Computer control systems are indispensable for today's farm management and housing equipment. Stocking up on these components is therefore becoming ever more important for modern farmers to prevent system failures.

In addition to a large selection of original electrical parts, Big Dutchman also offers professionally treated original parts which have been made fully functional again and can be purchased at a significantly lower price. Please take a look at the available assortment of replacement parts on our website at <<http://www.bigdutchman.de/>>.



60-43-2042	Winch motor 230V CL-75A-1 50/60Hz	pc	1
------------	-----------------------------------	----	---



60-43-2043	Winch motor 230V CL-75A-3 50/60Hz	pc	1
------------	-----------------------------------	----	---



60-43-2044	Winch motor 230V CL-75A-6 50/60Hz	pc	1
------------	-----------------------------------	----	---



60-40-2920	Motor board 230V for winch motor CL/75	pc	1
------------	--	----	---



60-40-2924	Switch CL-75 24V/230V	pc	1
------------	-----------------------	----	---



60-43-2057	Gear 12/45 tooth for winch motor CL-75/CL-75A	pc	1
------------	---	----	---

60-43-2935	Spare part set for gearbox CL-75-1 24/230V	pc	1
------------	--	----	---

60-43-2936	Spare part set for gearbox CL-75-3/6 24/230V	pc	1
------------	--	----	---


1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT





Big Dutchman.

Big Dutchman International GmbH



P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	60-43-2045	Winch motor 24V CL-75A-1	pc	1
	60-43-2046	Winch motor 24V CL-75A-3	pc	1
	60-43-2047	Winch motor 24V CL-75A-6	pc	1
	60-43-2953	Motor board 24V Relais for winch motor CL-75	pc	1
	60-40-2924	Switch CL-75 24V/230V	pc	1
	60-40-2910	Carbon brush for winch motor CL-75 24VDC	pc	1
	60-43-2074	Winch motor 24V CL-74C adjustment open/closed	pc	1
	60-43-2073	Winch motor 24V CL-74CV infini variable by 2 relay with poti	pc	1
	60-43-2976	Motor mini 24V incl board for winch motor CL74C stepless 0-10V on/off	pc	1



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	60-40-2952	Motor 24V for winch motor CL74	pc	1
	81-01-0592	Coupling set 20pc for winch motor CL 74	pc	1
	60-43-2975	Mot-g for winch motor CL-74C stepless 0-10V on/off cpl	pc	1
	60-43-2071	Winch motor 24V CL-74C drive pulse 0-10V	pc	1
	60-43-2976	Motor mini 24V incl board for winch motor CL74C stepless 0-10V on/off	pc	1
	60-40-2952	Motor 24V for winch motor CL74	pc	1
	81-01-0592	Coupling set 20pc for winch motor CL 74	pc	1
	60-43-2975	Mot-g for winch motor CL-74C stepless 0-10V on/off cpl	pc	1
	61-00-0121	Climate-/production-computer Viper Touch 1520 cpl	pc	1
	61-00-0092	Module I/O 10RL 8AI 8AO type 3-A for MC135-235Pro/Viper Touch/CT2Touch	pc	1
	61-00-0085	Cover for Viper Touch incl CPU + climate and standard software production	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	61-00-0086	Cover for Viper Touch with CPU and climate and full broiler production	pc	1
	61-00-0090	Bottom board Main F 12RL for Viper Touch/135Pro/235Pro/CT2Touch	pc	1
	61-00-0212	Module I/O BD Typ 4 for Viper	pc	1
	60-40-0200	Temperature probe DOL-12	pc	1
	61-00-0052	Main unit Viper Touch 1520 without sensors	pc	1
	61-00-0092	Module I/O 10RL 8AI 8AO type 3-A for MC135-235Pro/Viper Touch/CT2Touch	pc	1
	61-00-0085	Cover for Viper Touch incl CPU + climate and standard software production	pc	1
	61-00-0086	Cover for Viper Touch with CPU and climate and full broiler production	pc	1
	61-00-0090	Bottom board Main F 12RL for Viper Touch/135Pro/235Pro/CT2Touch	pc	1
	61-00-0212	Module I/O BD Typ 4 for Viper	pc	1
	60-40-0200	Temperature probe DOL-12	pc	1
	61-00-0060	Additional unit Viper Touch Full Broiler with Software digital: 20 x output / 16 x input analog: 16 x output	pc	1
	60-43-4714	Module I/O 10RL 8AI 8AO type 3 for MC135/235/236/Viper/MC135CT II	pc	1



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	60-43-4901	Bottom board Main 2 MC135/235/236/Viper/MC135CT II	pc	1
	60-43-4714	Module I/O 10RL 8AI 8AO type 3 for MC135/235/236/Viper/MC135CT II	pc	1
	60-43-4702	Speed-control 6.8A for MC135/ 235/ 236/ Viper/ CT2Touch/ 135pro/ 235pro	pc	1
	60-43-4963	Display with plug and screensaver blue for MC135/235/236	pc	1
	60-40-2233	Module BigFarmNet/Info Matic (wire) for MC-34/36/95/Viper/235/236	pc	1
	60-40-0200	Temperature probe DOL-12	pc	1
	60-49-0115	Control unit EPU-12 0-10V speed control 230V max 12A	pc	1
	60-40-0200	Temperature probe DOL-12	pc	1
	60-43-4852	Emergency opening 378T-1 24V 4.2A temperature controlled 1 house	pc	1
	60-40-2812	Battery module MC-78M 4Ah	pc	1
	60-40-2817	Battery module for MC278 8A 18V 7Ah	pc	1



1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

**Big Dutchman.**


Big Dutchman International GmbH
P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de

	61-00-0210	Power supply 24V 3A Viper/378/378T/MC135CT2/CT2Touch	pc	1
	60-40-0200	Temperature probe DOL-12	pc	1
	61-00-0210	Power supply 24V 3A Viper/378/378T/MC135CT2/CT2Touch	pc	1
	60-40-2812	Battery module MC-78M 4Ah	pc	1
	60-40-2817	Battery module for MC278 8A 18V 7Ah	pc	1
	60-43-4857	Alarm unit AC 3-T A-S	pc	1
	60-43-4803	Battery for AC 3-T	pc	1
	60-40-0200	Temperature probe DOL-12	pc	1
	60-43-4895	Alarm unit AC3-T A-S cpl with 2 x DOL-12 and phase control	pc	1
	60-43-4857	Alarm unit AC 3-T A-S	pc	1
	60-40-0200	Temperature probe DOL-12	pc	1
	91-00-2826	Phase-control unit F1021 in-corporable 3PH 400V 50/60Hz	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT


	60-40-2812	Battery module MC-78M 4Ah	pc	1
	60-43-4388	Climate-computer 235-XL Pro (8MS)	pc	1
	60-43-2984	Front board MC-278T-1 4.2A/8A	pc	1
	60-40-2833	Bottom plate MC278/378 4A/8A	pc	1
	60-48-3428	Winch motor 230V SM-230A BD IP55	pc	1
	60-48-3780	Alarm unit 10inputs ACA-10N	pc	1
	60-48-3750	Warning horn 12V-DC	pc	1
	60-48-3722	Accumulator for ACA-1N/ACA-10N/MCC-3 12V 2.3Ah	pc	1
	91-00-3908	Thermostat heatTherm single	pc	1
	91-00-3907	Thermostat alarm heatTherm double min-max	pc	1
	60-40-1991	Negative pressure indicator -10-600 Pa	pc	1
	61-00-0020	Static press. sensor wo/acces. tubing 0-10V 0-100PA extern.	pc	1
	61-00-0023	Accessories tubing for difference pressure sensor	pc	1
	91-00-2825	Phase-control unit F1021 with housing IP54 3PH 400V 50/60Hz	pc	1
	60-44-0252	Sensor for humidity of air DOL-114 without plug	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

	60-44-0254	Sensor for humidity of air DOL-114 with plug	pc	1
	60-40-0203	Temperature probe DOL-15	pc	1
	60-70-3052	Temperature sensor TH	pc	1
	60-40-0022	Battery 12V 2AH for CL-2000	pc	1
	60-50-3208	Feed back potentiometer f/EWA (850mm) 3rotations 10kOhm	pc	1
	60-47-8301	Control unit PKDM(T)12 0-10V speed control 208-415V 50/60Hz 3Ph x 12A IP54	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT

16 Lighting

	99-30-3769	Lamp CFL 11W ORION white	pc	1
	99-30-3852	Moisture-proof lamp cpl 58watt dimmable ceiling fixation	pc	1
	91-00-2897	Analog converter IAC-1 0-10V for EVG (1-10V) with manual control	pc	1
	99-30-3926	Moisture-proof lamp 58W WDK-158ED-OS (blue) ceiling fixation	pc	1
	99-30-3942	Fluorescent tube 58W/830- warm TLR-158/830 5200lm	pc	1

1 December 2014 · Prices in EURO FCA Calveslage excluding installation and VAT



Big Dutchman

Big Dutchman International GmbH

P.O.Box 1163 · 49360 Vechta · Germany
Tel. +49(0)4447-801-0 · Fax +49(0)4447-801-237
big@bigdutchman.de · www.bigdutchman.de