

BETCO by AGRICON

Personnel Door Hardware & Specifications



Door Knob



Passage Lever



Face Mounted Pull Handle

BETCO by AGRICON



Keyed-Lock Set
(Double or Single Keyed)



Barrel Latch



Barn Style Latch



Personnel Door Hardware & Specifications

DOOR FRAME	
Door Frame	1.5mm Material Thickness
Door Hinges	(3) 3.0mm x 61mm x 411mm – Stainless Steel 304 GB/T4327
Door Frame Mounting	(10) mounting plates around the perimeter of the door frame
Frame Width	100mm Door Frame. Requires Trim for Wider Walls.
Frame Type	Pre-hung galvanized steel
Door Sizes	<ul style="list-style-type: none"> • 910mm x 2032mm • 1220mm x 2030mm • 1800mm x 2032mm
DOOR LEAF	
Skin	0.8mm Material Thickness
Insulation	50mm Rigid Polyurethane – Density: 40kg/m ³
Edges	Rolled edges
Hardware	<ul style="list-style-type: none"> • Passage Lever • Face Mounted Pull Handle • Door Knob • Key-Lock Set (Double or Single Keyed) – Includes Passage Lever • Barrel Latch – Includes Face Mounted Pull Plate • Barn Style Latch
COLORS	
Available Colors	Pure White – RAL 9003
DOOR LITE (Window)	
Lite Kits	<ul style="list-style-type: none"> • None • Double Pane – 5.0mm Thick x 610mm x 508mm Tempered Glass
ACCESSORIES	
Air Gasket	Durable EPDM Rubber 15mm x 21mm x 5245mm (black)
Sweep	Durable EPDM Rubber 20mm x 35mm x 914mm (black)
Threshold	4mm Stainless Steel 304 Formed Plate (Low profile)